

Liver

Surgery

Oncology

1st IASGO 2013

CME CROATIA COURSE

WEST AND EAST AGAINST CANCER

Red Island • Rovinj • Croatia • April 26-28, 2013

Directors:

Miroslav Bekavac-Bešlin, Croatia

Davor Štimac, Croatia

Stomach

Pancreas

Gastroenterology



Under the auspices of
Ministry of Health of the Republic of Croatia



International
Association of Surgeons,
Gastroenterologists and
Oncologists



Croatian Academy
of Medical Science



Croatian Society
of Surgery



Croatian Society
of Gastroenterology



Croatian Society of
Medical Oncology



Croatian Society
for Quality Improvement
in Health Care

Dear Colleagues,

We are delighted to announce that the 1st IASGO (International Association of Surgeons, Gastroenterologists and Oncologists) Croatia Course will be held on the Red Island, Rovinj, Croatia on April 26th – 28th, 2013.


The program will provide an unique opportunity to gain access to the latest and the best scientific information and education in stomach, pancreas and liver cancer topics under the title „West and East against cancer“. We have invited many internationally renowned faculties from Japan, Korea and Europe to cover topics from surgical, gastroenterological and oncological point of view.

We expect that the program will attract many surgeons, gastroenterologists and oncologists from South-eastern European countries and that the meeting will present an important baseline for regional exchange of new ideas.

Carefully selected sessions are structured around relevant translational medicine and clinical practice with idea to focus on the multidisciplinary approach in the treatment of patients with gastroenterological tumours.

We look forward to seeing You in Croatia in April 2013 and on behalf of IASGO extend a warm welcome to you all.

Sincerely Yours,



Prof. **N.J Lygidakis**,
MD, PhD, FACS, FRCST(H), FJSS(H)
Secretary General IASGO



Prof. **Miroslav Bekavac-Bešlin**,
MD, PhD



Prof. **Davor Štimac**,
MD, PhD, FEBGH
Chairman Medical Section IASGO

ORGANIZERS

International Association of Surgeons, Gastroenterologists and Oncologists (IASGO)

Croatian Academy of Medical Science

Croatian Society of Surgery

Croatian Society of Gastroenterology

Croatian Society for Quality Improvement in Health Care

Croatian Society for Medical Oncology

ORGANIZING COMMITTEE

Prof. Miroslav Bekavac-Bešlin, MD, PhD

Clinical Hospital Centre "Sestre milosrdnice"

Dept. of Abdominal Surgery,

Vinogradska cesta 29, 10 000 Zagreb, Croatia

Tel +385 1 3787 111

E-mail: miroslav.bekavac.beslin@kbcsm.hr

Prof. Davor Štimac, MD, PhD

Clinical Hospital Centre Rijeka

Dept. for Gastroenterology

Krešimirova 42, 51 000 Rijeka, Croatia

Tel +385 51 658 122

E-mail: interna-rijeka@kbc-rijeka.hr

TECHNICAL ORGANIZER

O-Tours d.o.o.

Gajeva 6, 10 000 Zagreb

Contact person: Mrs. Tatjana Jurčić

Tel: +385 1 4831 444

Fax: +385 1 4813 010

Mobile: +385 98 980 5716

E-mail: tatjana.jurcic@otours.hr, tatjana.jurcic@hrhrgworldwide.com

www.hrgworldwide.com

SCIENTIFIC PROGRAM

FRIDAY, April 26, 2013

14:00 **Welcome cocktail – Opening ceremony**

Welcome speech – N. Lygidakis, M. Bekavac-Bešlin, D. Štimac

15:00 – 16:40 **Session 1. Plenary session**

Chairman: M. Kujundžić (Croatia), Z. Perko (Croatia),
V. Pavlica (Croatia), A. Plesković (Slovenia)

15:00 - 15:20 Multidisciplinary approach in GI tumours
R. Ostojić, Croatia

15:20 - 15:40 West and East against gastric cancer
Y. Kodera, Japan

15:40 - 16:00 Advances in esophagogastric surgery – MIS and Robot
Y. Seto, Japan

16:00 - 16:20 Laparoscopic oncologic HPB surgery in Korea
H.S. Han, Korea

16:20 - 16:40 Indications of the robotic approach in oncologic
abdominal surgery
I. Popescu, Romania

16:40 – 17:10 **Coffee break**

17:10 – 19:30 **Session 2. Gastric tumours**

Chairman: S. Delibegović (Bosnia and Herzegovina),
F. Di Mario (Italia), M. Stanec (Croatia), B. Tepeš (Slovenia)

17:10 - 17:30 Gastric cancer: who is at risk?
F. Bazzoli, Italy

17:30 - 17:50 Advanced gastric cancer – Surgical tactic
S. Potrč, Slovenia

17:50 - 18:10 Gastric cancer in Japan – Current surgical strategy
Y. Seto, Japan

- 18:10 - 18:30 Advances in therapy
Y. Kodera, Japan
- 18:30 - 18:50 Chemotherapy in gastric cancer
R. Cannizzaro, Italy
- 18:50 - 19:10 GIST - contemporary approach
D. Vrbanec, Croatia
- 19:10 - 19:30 Discussion

20:30 Dinner

SATURDAY, April 27, 2013

09:00 - 12:00 Session 3. Pancreatic tumours

Chairman: M. Uravić (Croatia), F. Pašić (Bosnia and Herzegovina),
M. Šimunić (Croatia), M. Bevanda (Bosnia and Herzegovina)

- 09:00 - 09:20 Pancreatic tumours - Is early diagnosis possible?
D. Štimac, Croatia
- 09:20 - 09:40 Preoperative and postoperative nutritional support in
patients with abdominal tumours
M. Zelić, Croatia
- 09:40 - 10:00 New frontiers in surgical techniques for the
management of pancreatic cancer
N. Lygidakis, Greece
- 10:00 - 10:20 Pancreatic head carcinoma-Advances in the surgical
technique increase the resectability
L. Patrlj, Croatia
- 10:20 - 10:40 Complications after cefalic duodenopancreatectomy
- Prevention and management
Z. Rifatbegović, Bosnia and Herzegovina
- 10:40 - 11:00 Role of gastrooncologist in treatment of pancreatic cancer
B. Štabuc, Slovenia

11:00 - 11:20 EUS in detection of pancreatic tumours
R. Mesihović, Bosnia and Herzegovina

11:20 - 12:00 Discussion

12:45 - 14:00 Lunch

15:00 - 17:45 Session 4. Liver and HPB cancers - I.

Chairman: D.V. Vrdoljak (Croatia),
N. Vanis (Bosnia and Herzegovina),
B. Vucelić (Croatia), S. Kurbel (Croatia)

15:00 - 15:20 Early detection of hepatic and hepatobiliary cancers
S. Milić, Croatia

15:20 - 15:40 New possibilities in laparoscopic liver resections
H.S. Han, Korea

15:40 - 16:00 Advanced surgery for HCC
M. Ilić, Serbia

16:00 - 16:20 Klatzkin tumours – Surgical treatment, tactic and technique
M. Zovak, Croatia


16:20 - 16:40 Liver metastases after gastric and pancreatic cancer - Surgical
strategy and treatment / N. Družijanić, Croatia

16:40 - 17:00 Past, present and future of treatment strategies in patients
with colorectal cancer liver metastases / N. Lygidakis, Greece

17:00 - 17:20 Nutritive support in patients with tumours of GI tract
Ž. Krznarić, Croatia

17:20 - 17:45 Discussion

20:30 Dinner



SUNDAY, April 28, 2013

09:30 - 12:30 Session 5. Liver and HPB cancers - II.

Chairman: M. Banić (Croatia), D. Jurčić (Croatia),
G. Kondža (Croatia), S. Trbojević (Bosnia and Herzegovina)

09:30 - 09:50 Fibroscan-Liver biopsy without needle
T. Alimpijević, Serbia

09:50 - 10:10 Liver transplantation in HCC / M. Škegro, Croatia

10:10 - 10:30 Evaluation of nutritive status in patients with GI tumours
I. Hrstić, Croatia

10:30 - 10:50 How to prevent tumour cachexia
R. Dobrila Dintinjana, Croatia

10:50 - 11:10 Chemotherapy of liver tumours
D. Trivanović, Croatia

11:10 - 11:30 Is there any benefit of radiotherapy in liver, gastric and
pancreatic tumours? / H. Šobat, Croatia

11:30 - 11:50 Quality in surgical gastrooncology
J. Mesarić, Croatia

11:50 - 12:30 Discussion

12:30 Closing ceremony

13:00 Lunch

enterology

Pancreas

SATELLITE SYMPOSIUMS

FRIDAY, April 26, 2013

12:00 - 13:00 ESOP roundtable

- Oncology pharmacist

SATURDAY, April 27, 2013

12:00 - 12:45 NOVARTIS

- Optimal approach in diagnosis and treatment of neuroendocrine tumors
- Diagnosis and treatment of neuroendocrine tumors
- pNET - new treatment options

14:00 - 14:30 FRESENIUS KABI

- Fish oil concept - from a nutritional substrate to pharmaco - nutrition therapy

14:30 - 15:00 MERCK

- Personalized treatment of cetuximab in patients with metastatic colorectal cancer

17:45 - 18:45 ABBOTT

- Croatian guidelines for pancreatic insufficiency

18:45 - 19:15 PHARMASWISS

- Tumor anorexia and cachexia

Surgery

Stomach

Liv

Gastroe

POSTER SESSION

1. Extremely well - differentiated gastric adenocarcinoma in a 40-year-old patient

Z. Jukić, Z. Marušić, J. Kristek, M. Bekavac-Bešlin

2. Synchronous operations of colorectal cancer and liver metastases

M. Kolovrat, Ž. Bušić, A. Begović, D. Servis, L. Patrlj

3. Surgical treatment of colorectal cancer liver metastases

M. Kolovrat, Ž. Bušić, A. Begović, D. Servis, L. Patrlj

4. Palliative surgery for advanced gastric cancer

D. Šimleša, Ž. Glavić, Lj. Begić, G. Šantak, J. Ćosić

5. Liver metastases of colorectal cancer

D. Šimleša, Ž. Glavić, Lj. Begić, G. Šantak, J. Ćosić

enterology

Pancreas

GENERAL INFORMATION

Abstracts

All participants are invited to submit abstracts on one of the topics listed in the program. Posters will be available to all active participants. Dimensions of the poster boards are: 120x100 cm (height/width). Abstracts may be submitted via internet abstract form or via e-mail. Deadline for abstract submissions: April 15th, 2013. E-mail address for abstract submission: internarijeka@kbc-rijeka.hr and/or miroslav.bekavac.beslin@kbcsm.hr

Confirmation

Upon receipt of the down payment of the registration fee, each participant will receive Confirmation of registration via e-mail. Written Confirmation of registration is to be presented at the registration desk.

Cancellation/Refund policy

We accept reservation cancellations in written form up to March 1st, 2013. The cancellation fee of EUR 75.00 will be applied. There will be no refunds for cancellations made after March 1st, 2013.

O-Tours d.o.o., HRG Croatia, Gajeva 6, 10 000 Zagreb

Contact person: Mrs. Tatjana Jurčić

Tel: +385 1 4831 444, Fax: +385 1 4813 010, Mobile: +385 98 980 5716

E-mail: tatjana.jurcic@otours.hr, www.hrgworldwide.com

Hotel accommodation

The full package (EUR 600.00) includes a total of two nights (April 26th-28th, 2013) accommodation in the 4-stars Hotel Istra, single use room. The accommodation price for a single room is EUR 115.00.

Language

The congress language is English. Simultaneous translation will not be provided.

Meals

Registration fee includes two work lunches, dinner and gala dinner.

Payment

The forms of payment are listed on the Registration form.

Registration/Packages

The registration fee/basic package costs EUR 300.00 and it includes: registration fee, attendance to all scientific sessions, access to all poster sessions, congress material, coffee breaks, work meals and welcome cocktail, as well as experience/contact points from the Croatian Medical Chamber. The regular package costs EUR 600.00 and it includes: hotel accommodation April 26th-28th at Hotel Istra; registration fee, attendance to all scientific sessions, access to all poster sessions, congress material, coffee breaks, work lunches, welcome cocktail and gala dinner, as well as experience/contact points from the Croatian Medical Chamber.

Satellite symposia

We invite pharmaceutical companies to organise satellite symposia. For additional information contact:

O-Tours d.o.o., HRG Croatia, Gajeva 6, 10 000 Zagreb

Contact person: Mrs. Tatjana Jurčić

Tel: +385 1 4831 444, Fax: +385 1 4813 010, Mobile: +385 98 980 5716

E-mail: tatjana.jurcic@otours.hr, www.hrgworldwide.com

Social program

Klapa Volosko will be performing traditional a cappella songs during the dinner on Friday, April 26th, followed by A Little Nightmare Music performance featuring Mrs. Zelčić and Mr. Kruljac, members of the Croatian National Theatre Ivan Zajc of Rijeka. The dinner will include wine tasting presentation as well. On Saturday, April 27th, there will be a Pirates of the Red Isle performance by the Robi & Proco duo.

Travel costs

Travel costs for participants are not covered by the organizers.

Travel information

All information can be found on the site: www.maistra.hr

Visa requirements

Participants are requested to check with a Croatian consulate in their home country or with their travel agency for visa requirements. For all other information including participants, sponsors, exhibitors, advertisers, registration, accommodation, exhibition space etc., please contact:

O-Tours d.o.o., HRG Croatia, Gajeva 6, 10 000 Zagreb

Contact person: Mrs. Tatjana Jurčić

Tel: +385 1 4831 444, Fax: +385 1 4813 010, Mobile: +385 98 980 5716

E-mail: tatjana.jurcic@otours.hr, www.hrgworldwide.com

Boat Schedule

Dear guest and visitor of Hotel Istra, as our island is located in the Rovinj archipelago we have organised a comfortable 15 minute ride by boat, as well as parking for your car. You can receive all necessary information about parking, transfer and transport by boat at the information booth.

The information booth of the hotel is located at "Delfin" pier, right next to the roundabout, where you will see "Hotel Istra" written in blue and where you will be greeted by our courteous staff.

The departure times of the boat are listed in the departure timetable, almost once hourly between 6.00 a.m. and midnight. We wish you a pleasant stay!

Rovinj - Red Island (St. Andrew's)	Red Island (St. Andrew's) - Rovinj
05,30*	06,00*
06,30*	07,00*
07,30*	08,00*
08,30	09,00
09,30	10,00
10,30	11,00
11,30	12,00
12,30	13,00
13,30	14,00
14,30	15,00
15,30	16,00
16,30	17,00
17,30	18,00
18,30	19,00
19,30	20,00
20,30*	21,00*
21,30*	22,00*
22,30*	23,00*
23,30*	24,00*
00,30*	01,00*

* Rovinj - St. Katarina - St. Andrew's Island

* St. Andrew's Island - St. Katarina - Rovinj

Boat transfer is gratis for Hotel Istra guests during their whole stay.

Where the moment lasts



Hotels & Resorts

Enter a world of comfort, service and style in Maistra hotels and resorts, magnificently situated in the wonderful and picturesque Mediterranean towns of Rovinj and Vrsar. The outstanding services, distinctive character of Croatian hospitality and superb facilities blend with the relaxed natural and unique historical environment making our hotels and resorts an ideal choice for leisure, short breaks, active holidays, Wellness & Spa or business.

maistra
ROVINJ - VRSAR

+385 (0)52 800 250
info@maistra.hr
www.maistra.com

A
ADRIS
GRUPA



Ensure[®] PLUS ADVANCE

ENSURE[®] PLUS ADVANCE NAJNOVIJA JE GENERACIJA KOMPLETNE, URAVNOTEŽENE ORALNE NUTRITIVNE POTPORE NAMIJENJENE:

- svim bolesnicima s rizikom od razvoja pothranjenosti i/ili gubitkom mase, snage i funkcije mišića usljed bolesti, ozljeda, lomova te operativnih zahvata
 - za brži oporavak i vraćanje mišićne mase, snage i funkcionalnosti za vrijeme i nakon bolničkog liječenja
 - osobama starije dobi s rizikom razvoja malnutricije, sarkopenije ili krhkosti
 - održavanju funkcije kostiju i mišića u svrhu smanjenog rizika od padova, lomova i slabosti
- Ensure[®] Plus Advance dostupan je u dva izvrsna okusa:
- vanilija
 - čokolada

Preporučena dnevna doza:

2 bočice na dan





- **Enteralna prehrana**
- **Parenteralna prehrana**
- **Volumna terapija**
- **Intravenski lijekovi**
- **Pomagala za prehranu**



**FRESENIUS
KABI**

caring for life

Fresenius Kabi d.o.o.

Trg J. F. Kennedyya 6B, 10000 Zagreb

Tel.: +385 (0) 1 2333 242, fax: +385 (0) 1 2333 248

e-mail: info@fresenius-kabi.hr

ETHICON

PART OF THE **Johnson & Johnson** FAMILY OF COMPANIES

Introducing HARMONIC ACE® + Shears with Adaptive Tissue Technology

Greater precision through improved
energy delivery



ABSOLUTE-CARE

Kalodont ABSOLUTE - CARE **paste za zube**

*pružaju potpunu zaštitu
i njegu zuba i usne šupljine*



Kalodont Medical Protection

Pomaže u sprječavanju bolnih reakcija:
- na vruće, hladno, kiselo, slatko i dodir
te upale zubnog mesa.

Formula obogaćena kalijevim nitratom koji djeluje na smirivanje živaca zuba i Aloe Verom koja pruža prirodnu zaštitu.

*Ima puno pasta za zube, ali
samo je jedan Kalodont!*

 **SAPONIA**

Preuzmite kontrolu uz Zipantolu®



...i slatko će biti slađe!


Zipantola®

02-12-ZIP-03-IP/33-12/02-13

PLIVA



150 Years Science For A Better Life



L-HR.03.2013.0142

ERBITUX[®] CETUXIMAB

See the difference

Ovako izgleda smanjenje tumora

Produljeno preživljenje i poboljšanje kvalitete preživljenja su ključni ciljevi liječenja raka; smanjenje tumora je prvi korak u realizaciji oba cilja;^{1,2} U odobrenim indikacijama, Erbitux može pomoći u postizanju ciljeva kroz povećanje stope odgovora,³⁻⁵ poboljšanja ukupnog preživljenja⁵⁻⁷ i olakšavanja simptoma.^{8,9}

Merck Serono Oncology | *Combination is key™*

Samo za zdravstvene radnike

Erbitux 5 mg/ml otopina za infuziju. Kvalitativni i kvantitativni sastav: Jedan ml otopine za infuziju sadržava 5 mg cetuximaba. Jedna bočica sadržava 20 ml ili 100 ml otopine. Terapijske indikacije: Erbitux je indiciran za liječenje pacijenata s metastatskim kolorektalnim karcinomom koji iskazuje receptor za epidermalni nubišbenik rasta (EGFR) i bez mutacije KRAS gena: u kombinaciji s kemoterapijom, kao samostalan lijek nakon neuspjeha terapije oksaliplatinom ili irinotekanom ili koji ne podnose irinotekan. Erbitux je indiciran za liječenje pacijenata s karcinomom skvamoznih stanica glave i vrata, i to u kombinaciji sa zračenjem za lokalno uznapredovalu bolest te u kombinaciji s kemoterapijom na bazi platine za rekurentnu i/ili metastatsku bolest. Doziranje i način davanja: Erbitux se mora primijeniti pod nadzorom liječnika iskusnog u korištenju antineoplastičkih lijekova. Tijekom infuzije i najmanje 1 sat nakon infuzije potrebno je pomno pratiti pacijenta. Potrebno je osigurati dostupnost resuscitacijske opreme. Prije prve infuzije, pacijent mora primiti antihistaminski i kortikosteroidnu premedikaciju. Ova se premedikacija preporučuje prije svih sljedećih infuzija. Erbitux se kod svih indikacija primjenjuje jednom tjedno. Početna doza je 400 mg cetuximaba po m² tjelesne površine. Sljedeće tjedne doze su po 250 mg/m². Kod starijih osoba nije potrebna prilagodba doze. Erbitux je ograničeno kod pacijenata u dobi od 75 ili više godina. Nema iskustava s liječenjem kod djece. mCRC: Cetuximab se primjenjuje u kombinaciji s kemoterapijom ili kao samostalan lijek. Preporučuje se da određivanje mutacijskog KRAS statusa provede iskusni laboratorij koji koristi validirane metode. Pri istodobnoj primjeni kemoterapeutika, njihovo doziranje ili promjenu preporučene doze pogledajte upute za dotične lijekove. Oni se ne smiju primijeniti u vremenu kraćem od jednog sata nakon kraja infuzije cetuximaba. Primjena: Erbitux 5 mg/ml primjenjuje se intravenski putem infuzijske pumpe, gravitacijske kapaljke ili injekcijske pumpe. Kod početne doze, preporučeno vrijeme infuzije je 120 minuta. Za sljedeće dnevne doze, preporučeno vrijeme je 60 minuta. Najveća brzina infuzije ne smije premašiti 10 mg/min. Preporučuje se da se liječenje cetuximabom nastavi do progresije postojeće bolesti. LA SCCHN: Kod pacijenata s lokalno uznapredovalim karcinomom skvamoznih stanica glave i vrata, cetuximab se primjenjuje u kombinaciji sa zračenjem. Preporučuje se da liječenje cetuximabom započne jedan tjedan prije zračenja te da se liječenje cetuximabom nastavi do kraja zračenja. Kod pacijenata s rekurentnim i/ili metastatskim karcinomom skvamoznih stanica glave i vrata, cetuximab se primjenjuje u kombinaciji s kemoterapijom na bazi platine koji slijedi cetuximab kao terapija održavanja do progresije bolesti. Kemoterapija se ne smije primijeniti u vremenu kraćem od jednog sata nakon završetka infuzije cetuximabom. Kontraindikacije: Erbitux je kontraindiciran kod pacijenata s poznatom (3. i 4. stupnja) reakcijom preosjetljivosti na cetuximab. Prije započinjanja liječenja u kombinaciji, treba uzeti u obzir kontraindikacije za istodobno primijenjene kemoterapeutike ili zračenje. Posebna upozorenja i mjere opreza pri uporabi: Ako pacijent iskusi blagi ili umjereni reakciju povezanu s infuzijom, može se smanjiti brzina infuzije. Smanjenje brzine preporučuje se i u svim sljedećim infuzijama. Kod pacijenata liječenih cetuximabom opisane su teške reakcije povezane s infuzijom. Simptomi se obično javljaju tijekom ili do 1 sat nakon početne infuzije, a mogu se javiti i nakon nekoliko sati ili pri sljedećim infuzijama. Preporučuje se upozoriti pacijente o mogućnosti takvog kasnog nastupa i povezanih s infuzijom simptoma povezanih s infuzijom kontaktiraju svog liječnika. Pojava teških reakcija povezanih s infuzijom zahtjeva trenutni i trajni prekid liječenja cetuximabom i može zahtijevati i intenzivno liječenje.

Preporučuje se obratiti posebnu pažnju na pacijente oslabljenog općeg zdravlja i s prethodno postojećom kardiolo-pulmonalnom bolešću. Opisani su pojedinačni slučajevi intersticijskih bolesti pluća nepoznatog uzročno-posljedične veze s cetuximabom. Ako je dijagnosticirana ozbiljna bolest pluća, cetuximab treba ukinuti i pacijenta odgovarajuće liječiti. Ako pacijent dobije tešku kožnu reakciju (> 3. stupnja; US National Cancer Institute – Opći kriteriji toksičnosti, NCI-CTC) liječenje cetuximabom se mora prekinuti. Liječenje se smije ponovno uspostaviti samo ako se kožna reakcija smiri na razinu 2. stupnja. Ako se teška kožna reakcija pojavila prvi put, liječenje se može ponovo nastaviti bez promjene doze. S drugim ili trećim pojavljivanjem teških kožnih reakcija, liječenje cetuximabom mora se ponovo prekinuti. Liječenje se može nastaviti manjom dozom (200 mg/m² tjelesne površine nakon drugog pojavljivanja, odnosno 150 mg/m² nakon trećeg pojavljivanja) samo ako se reakcija smirila na razinu 2. stupnja. Ako se teška kožna reakcija pojavi po četvrti put ili se nije smirila na razinu 2. stupnja tijekom prekida liječenja, liječenje cetuximabom treba trajno prekinuti. Strogo je preporučeno da se Erbitux daje tijekom trudnoće ili bilo kojoj ženi koja ne primjenjuje odgovarajuću kontracepciju, samo ako potencijalna korist nadilazi potencijalni rizik za plod. Budući da nije poznato da li se cetuximab izlučuje majčinih mlijekom, preporučuje se da žene ne daju tijekom liječenja Erbituxom te do 2 mjeseca nakon primanja zadnje doze. Nuspojave: Vrlo česte: hipomagnezija, blagi do umjereni porast razine jetrenih enzima (AST, ALT, AF), kožne reakcije (najčešće kao akneli ošip, a manje učestalo kao svrbež, suhoća kože, desquamacija, hipertrichoza ili bolesti noktiju, npr. paronihija), blage do umjerene reakcije povezane s infuzijom (vrućica, osjećaj hladnoće, omaglice ili dispepsije), blaga do umjereni upala sluznice koja može dovesti do epistakse. Česte: konjunktivitis, teške reakcije povezane s infuzijom, malaksalost, glavobolja, proljev, mučnina, povraćanje, dehidracija (naročito sekundarno dijareji ili mučozitizi), hipokalcemija, anoreksija koja može dovesti do pada tjelesne težine. Manje česte: tromboza dubokih vena, pulmonarna embolija, blefaritis, keratitis. Učestalost nije poznata su: perifernike kožnih lezija. Način izdavanja: na recept, u lijekima. Naziv i adresa proizvođača/podnositelja zahtjeva: Proizvođač: Merck KGaA, Frankfurter Straße 250, 64293 Darmstadt, Njemačka. Podnositelj zahtjeva: Merck d.o.o., Ulica Andrije Hebranga 32, 10000 Zagreb, Hrvatska Klasa i datum rješenja o odobrenju za stavljanje gotovog lijeka u promet u Republici Hrvatskoj: UP/I-530-09/07-01/477 od 18. prosinca 2008., UP/I-530-09/07-01/478 od 18. prosinca 2008. ERBITUX™ je zaštitni znak tvrtke ImClone Systems Incorporated, koja je u potpunom vlasništvu tvrtke Eli Lilly and Company, a koristi se pod licencom tvrtke Merck KGaA, Darmstadt, Njemačka. Za više informacija, molimo pogledajte potpuni zadnji odobreni sažetak opisa svojstva lijeka i upute u liječku.

MSER008/021012

References: 1. Buysse M et al. Lancet 2000; 356:373–378. 2. Constenla DO et al. Ann Oncol 1997; 8:445–449. 3. Bonner JA et al. N Engl J Med 2006; 354:367–78. 4. Folprecht G et al. Lancet Oncol 2010; 11:38–47. 5. Vermorken JB et al. N Engl J Med 2006; 359:1116–27. 6. Bonner JA et al. Lancet Oncol 2010; 11(11): 21–8. 7. Plesseaux H et al. ASCO GI 2011 (Abstract 398). 8. Mesia R et al. Ann Oncol 2010; 21:1967–1973. 9. Au H-J. J Clin Oncol. 2009; 27: 1822–1828.

Merck Serono

Merck Serono is a
division of Merck

MERCK



Jedinstvena tableta sada u jedinstvenom pakiranju.

Cjelokupni odobreni Sažetak opisa svojstava lijeka te cjelokupna odobrena Uputa o lijeku sukladni su člancima 14, 15 i 24 Pravilnika o načinu oglašavanja o lijekovima i homeopatskim proizvodima ("Narodne novine broj 118/09"). Prije propisivanja lijeka Controlloc, molimo pročitajte zadnji odobreni Sažetak opisa svojstava lijeka. Samo za zdravstvene djelatnike.



Nycomed: a Takeda Company

Nestlé

RESOURCE[®]
2.0

RESOURCE[®]
2.0+ fibre



Nutritivno cjeloviti proizvodi odličnog okusa

Indikacija: sprječavanje ili liječenje pothranjenosti
(malnutricije) u odraslih osoba

- visokokalorični pripravci → 2 kcal / ml
- pogodni kao jedini izvor hranjivih tvari ili kao dodatak prehrani
 - okus vanilije, marelice, jagode, kave i šumskog voća
 - bez glutena, bez laktoze

NES-R2.0-CFD-11/12-001
Samo za zdravstvene djelatnike

OLYMPUS

Your Vision, Our Future

EVIS EXERA III

EVIS EXERA III

Advancing the Art of Endoscopy.





THE
LIGHTNESS
OF BEING
ISTRIA



VINA
LAGUNA

Znanje je Vaš izbor!

PRETPLATITE SE NA MEDIX JOŠ DANAS i osigurajte svoje primjerke vodećeg specijaliziranog medicinskog časopisa u Hrvatskoj.



U SVAKOM BROJU MEDIXA

DOPIJNI TEST ZNANJA ZA PROVEDBU TRAJNE IZOBRAZBE LIJEČNIKA

U sklopu preglednih članaka o aktualnoj temi u svakom broju riješite dopisni test provjere znanja i osigurajte 7 bodova u sustavu trajne medicinske izobrazbe Hrvatske liječničke komore za obnovu liječničke licence.

C.T.-Poslovne informacije d.o.o.

Ljudevita Posavskog 22, 10000 Zagreb

Telefon/faks: 01/ 4612-083

E-mail: medix@ct-poslovneinformacije.hr

Jer želite znati.

www.medix.com.hr



Liver

International speakers:

N. Lygidakis, Greece / secr. gen. IASGO

Y. Kodera, Japan

H.S. Han, Korea

Y. Seto, Japan

R. Cannizzaro, Aviano, Italia

I. Popescu, Bucharest, Romania

F. Bazzoli, Bologna, Italia

R. Mesihović, Sarajevo, Bosnia and Herzegovina

B. Štabuc, Ljubljana, Slovenia

T. Alimpijević, Beograd, Serbia

Z. Rifatbegović, Tuzla, Bosnia and Herzegovina

M. Ilić, Novi Sad, Serbia

S. Potrč, Maribor, Slovenia

O-Tours d.o.o. Gajeva 6 / 1st floor
HR-10000 Zagreb, Croatia

Tel: **+385 1 4921720**

Fax: **+385 1 4813 010**

Email: tatjana.jurcic@otours.hr

www.otours.hr

Surgery

Oncology

Stomach

Pancreas

Gastroenterology